

## NAG Library Function Document

### nag\_matop\_complex\_herm\_matrix\_fun (f01ffc)

## 1 Purpose

nag\_matop\_complex\_herm\_matrix\_fun (f01ffc) computes the matrix function,  $f(A)$ , of a complex Hermitian  $n$  by  $n$  matrix  $A$ .  $f(A)$  must also be a complex Hermitian matrix.

## 2 Specification

```
#include <nag.h>
#include <nagf01.h>
void nag_matop_complex_herm_matrix_fun (Nag_OrderType order,
                                         Nag_UptoType uplo, Integer n, Complex a[], Integer pda,
                                         void (*f)(Integer *flag, Integer n, const double x[], double fx[],
                                         Nag_Comm *comm),
                                         Nag_Comm *comm, Integer *flag, NagError *fail)
```

## 3 Description

$f(A)$  is computed using a spectral factorization of  $A$

$$A = QDQ^H,$$

where  $D$  is the real diagonal matrix whose diagonal elements,  $d_i$ , are the eigenvalues of  $A$ ,  $Q$  is a unitary matrix whose columns are the eigenvectors of  $A$ .  $f(A)$  is then given by

$$f(A) = Qf(D)Q^H,$$

where  $f(D)$  is the diagonal matrix whose  $i$ th diagonal element is  $f(d_i)$ . See for example Section 4.5 of Higham (2008).  $f(d_i)$  is assumed to be real.

## 4 References

Higham N J (2008) *Functions of Matrices: Theory and Computation* SIAM, Philadelphia, PA, USA

## 5 Arguments

1: **order** – Nag\_OrderType *Input*

*On entry:* the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag\_RowMajor. See Section 2.3.1.3 in How to Use the NAG Library and its Documentation for a more detailed explanation of the use of this argument.

*Constraint:* **order** = Nag\_RowMajor or Nag\_ColMajor.

2: **uplo** – Nag\_UptoType *Input*

*On entry:* if **uplo** = Nag\_Upper, the upper triangle of the matrix  $A$  is stored.

If **uplo** = Nag\_Lower, the lower triangle of the matrix  $A$  is stored.

*Constraint:* **uplo** = Nag\_Upper or Nag\_Lower.

|   |   |                          |
|---|---|--------------------------|
| 3:  | <b>n</b> – Integer                        | <i>Input</i>             |
| <i>On entry:</i> $n$ , the order of the matrix $A$ .  |   |                          |
| <i>Constraint:</i> $n \geq 0$ .   |   |                          |
| 4:  | <b>a</b> [ <i>dim</i> ] – Complex         | <i>Input/Output</i>      |
| <b>Note:</b> the dimension, <i>dim</i> , of the array <b>a</b> must be at least <b>pda</b> $\times$ <b>n</b> .                                    |   |                          |
| <i>On entry:</i> the $n$ by $n$ Hermitian matrix $A$ .  |   |                          |
| If <b>order</b> = Nag_ColMajor, $A_{ij}$ is stored in <b>a</b> [( $j - 1$ ) $\times$ <b>pda</b> + $i - 1$ ].                                      |   |                          |
| If <b>order</b> = Nag_RowMajor, $A_{ij}$ is stored in <b>a</b> [( $i - 1$ ) $\times$ <b>pda</b> + $j - 1$ ].                                      |   |                          |
| If <b>uplo</b> = Nag_Upper, the upper triangular part of $A$ must be stored and the elements of the array below the diagonal are not referenced.  |   |                          |
| If <b>uplo</b> = Nag_Lower, the lower triangular part of $A$ must be stored and the elements of the array above the diagonal are not referenced.  |   |                          |
| <i>On exit:</i> if <b>fail.code</b> = NE_NOERROR, the upper or lower triangular part of the $n$ by $n$ matrix function, $f(A)$ .                  |   |                          |
| 5:  | <b>pda</b> – Integer                      | <i>Input</i>             |
| <i>On entry:</i> the stride separating row or column elements (depending on the value of <b>order</b> ) of the matrix $A$ in the array <b>a</b> . |   |                          |
| <i>Constraint:</i> <b>pda</b> $\geq \max(1, n)$ .   |   |                          |
| 6:  | <b>f</b> – function, supplied by the user | <i>External Function</i> |
| The function <b>f</b> evaluates $f(z_i)$ at a number of points $z_i$ .  |   |                          |

The specification of **f** is:

```
void f (Integer *flag, Integer n, const double x[], double fx[],
        Nag_Comm *comm)
```

|    |                         |                     |
|----|-------------------------|---------------------|
| 1: | <b>flag</b> – Integer * | <i>Input/Output</i> |
|----|-------------------------|---------------------|

*On entry:* **flag** will be zero.

*On exit:* **flag** should either be unchanged from its entry value of zero, or may be set nonzero to indicate that there is a problem in evaluating the function  $f(x)$ ; for instance  $f(x)$  may not be defined, or may be complex. If **flag** is returned as nonzero then nag\_matop\_complex\_herm\_matrix\_fun (f01ffc) will terminate the computation, with **fail.code** = NE\_USER\_STOP.

|    |                    |              |
|----|--------------------|--------------|
| 2: | <b>n</b> – Integer | <i>Input</i> |
|----|--------------------|--------------|

*On entry:*  $n$ , the number of function values required.

|    |                            |              |
|----|----------------------------|--------------|
| 3: | <b>x[n]</b> – const double | <i>Input</i> |
|----|----------------------------|--------------|

*On entry:* the  $n$  points  $x_1, x_2, \dots, x_n$  at which the function  $f$  is to be evaluated.

|    |                       |               |
|----|-----------------------|---------------|
| 4: | <b>fx[n]</b> – double | <i>Output</i> |
|----|-----------------------|---------------|

*On exit:* the  $n$  function values. **fx**[ $i - 1$ ] should return the value  $f(x_i)$ , for  $i = 1, 2, \dots, n$ .

|    |                          |              |
|----|--------------------------|--------------|
| 5: | <b>comm</b> – Nag_Comm * | <i>Input</i> |
|----|--------------------------|--------------|

Pointer to structure of type Nag\_Comm; the following members are relevant to **f**.

**user** – double \*  
**iuser** – Integer \*  
**p** – Pointer

The type Pointer will be `void *`. Before calling `nag_matop_complex_herm_matrix_fun (f01ffc)` you may allocate memory and initialize these pointers with various quantities for use by **f** when called from `nag_matop_complex_herm_matrix_fun (f01ffc)` (see Section 2.3.1.1 in How to Use the NAG Library and its Documentation).

7: **comm** – Nag\_Comm \*

The NAG communication argument (see Section 2.3.1.1 in How to Use the NAG Library and its Documentation).

8: **flag** – Integer \*

*Output*

*On exit:* **flag** = 0, unless you have set **flag** nonzero inside **f**, in which case **flag** will be the value you set and **fail** will be set to **fail.code** = NE\_USER\_STOP.

9: **fail** – NagError \*

*Input/Output*

The NAG error argument (see Section 2.7 in How to Use the NAG Library and its Documentation).

## 6 Error Indicators and Warnings

### NE\_ALLOC\_FAIL

Dynamic memory allocation failed.

See Section 2.3.1.2 in How to Use the NAG Library and its Documentation for further information.

### NE\_BAD\_PARAM

On entry, argument  $\langle\text{value}\rangle$  had an illegal value.

### NE\_CONVERGENCE

The computation of the spectral factorization failed to converge.

### NE\_INT

On entry, **n** =  $\langle\text{value}\rangle$ .  
 Constraint: **n**  $\geq 0$ .

### NE\_INT\_2

On entry, **pda** =  $\langle\text{value}\rangle$  and **n** =  $\langle\text{value}\rangle$ .  
 Constraint: **pda**  $\geq \text{n}$ .

### NE\_INTERNAL\_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An internal error occurred when computing the spectral factorization. Please contact NAG.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 2.7.6 in How to Use the NAG Library and its Documentation for further information.

**NE\_NO\_LICENCE**

Your licence key may have expired or may not have been installed correctly.

See Section 2.7.5 in How to Use the NAG Library and its Documentation for further information.

**NE\_USER\_STOP**

**flag** was set to a nonzero value in **f**.

## 7 Accuracy

Provided that  $f(D)$  can be computed accurately then the computed matrix function will be close to the exact matrix function. See Section 10.2 of Higham (2008) for details and further discussion.

## 8 Parallelism and Performance

`nag_matop_complex_herm_matrix_fun` (f01ffc) is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

`nag_matop_complex_herm_matrix_fun` (f01ffc) makes calls to BLAS and/or LAPACK routines, which may be threaded within the vendor library used by this implementation. Consult the documentation for the vendor library for further information.

Please consult the x06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this function. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

## 9 Further Comments

The Integer allocatable memory required is **n**, the double allocatable memory required is  $4 \times \mathbf{n} - 2$  and the Complex allocatable memory required is approximately  $(\mathbf{n} + nb + 1) \times \mathbf{n}$ , where  $nb$  is the block size required by `nag_zheev` (f08fnc).

The cost of the algorithm is  $O(n^3)$  plus the cost of evaluating  $f(D)$ . If  $\hat{\lambda}_i$  is the  $i$ th computed eigenvalue of  $A$ , then the user-supplied function **f** will be asked to evaluate the function  $f$  at  $f(\hat{\lambda}_i)$ , for  $i = 1, 2, \dots, n$ .

For further information on matrix functions, see Higham (2008).

`nag_matop_real_symm_matrix_fun` (f01efc) can be used to find the matrix function  $f(A)$  for a real symmetric matrix  $A$ .

## 10 Example

This example finds the matrix cosine,  $\cos(A)$ , of the Hermitian matrix

$$A = \begin{pmatrix} 1 & 2+i & 3+2i & 4+3i \\ 2-i & 1 & 2+i & 3+2i \\ 3-2i & 2-i & 1 & 2+i \\ 4-3i & 3-2i & 2-i & 1 \end{pmatrix}.$$

### 10.1 Program Text

```
/* nag_matop_complex_herm_matrix_fun (f01ffc) Example Program.
 *
 * NAGPRODCODE Version.
 *
 * Copyright 2016 Numerical Algorithms Group.
 *
 * Mark 26, 2016.
 */
#include <math.h>
```

```

#include <nag.h>
#include <nag_stdlib.h>
#include <naga02.h>
#include <nagf01.h>
#include <nagx04.h>

#ifndef __cplusplus
extern "C"
{
#endif
static void NAG_CALL f(Integer *flag, Integer n, const double x[],
                      double fx[], Nag_Comm *comm);
#ifndef __cplusplus
}
#endif

int main(void)
{
    /* Scalars */
    char *outfile = 0;
    Integer exit_status = 0;
    double k = 1.0;
    Integer i, flag, j, n, pda;

    /* Arrays */
    char uplo_c[40];
    Integer iuser[1];
    double user[1];
    Complex *a = 0;

    /* NAG types */
    Nag_Comm comm;
    NagError fail;
    Nag_UptoType uplo;
    Nag_MatrixType matrix;
    Nag_OrderType order;

    INIT_FAIL(fail);

    /* Communicate constant k and initialize function counter through comm */
    comm.user = user;
    comm.iuser = iuser;
    user[0] = k;
    iuser[0] = 0;

    printf("nag_matop_complex_herm_matrix_fun (f01ffc) Example Program Results");
    printf("\n\n");
    fflush(stdout);

    /* Read matrix dimension and storage from data file */
#ifndef _WIN32
    scanf_s("%*[^\n]" NAG_IFMT "%*[^\n] %39s%*[^\n]", &n, uplo_c,
           (unsigned)_countof(uplo_c));
#else
    scanf("%*[^\n]" NAG_IFMT "%*[^\n] %39s%*[^\n]", &n, uplo_c);
#endif
    /* nag_enum_name_to_value (x04nac).
     * Converts NAG enum member name to value
     */
    uplo = (Nag_UptoType) nag_enum_name_to_value(uplo_c);

    pda = n;
    if (!(a = NAG_ALLOC((pda) * (n), Complex)))
    {
        printf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }

#ifndef NAG_COLUMN_MAJOR
#define A(I, J) a[(J-1)*pda + I-1]

```

```

    order = Nag_ColMajor;
#else
#define A(I, J) a[(I-1)*pda + J-1]
    order = Nag_RowMajor;
#endif

/* Read A from data file */
if (uplo == Nag_Upper) {
    matrix = Nag_UpperMatrix;
    for (i = 1; i <= n; i++)
        for (j = i; j <= n; j++)
#ifdef _WIN32
        scanf_s(" ( %lf , %lf ) ", &A(i, j).re, &A(i, j).im);
#else
        scanf(" ( %lf , %lf ) ", &A(i, j).re, &A(i, j).im);
#endif
}
else {
    matrix = Nag_LowerMatrix;
    for (i = 1; i <= n; i++)
        for (j = 1; j <= i; j++)
#ifdef _WIN32
        scanf_s(" ( %lf , %lf ) ", &A(i, j).re, &A(i, j).im);
#else
        scanf(" ( %lf , %lf ) ", &A(i, j).re, &A(i, j).im);
#endif
}
#endif
#ifdef _WIN32
scanf_s("%*[^\n]");
#else
scanf("%*[^\n]");
#endif

/* nag_matop_complex_herm_matrix_fun (f01ffc).
 * Function of a complex Hermitian matrix
 */
nag_matop_complex_herm_matrix_fun(order, uplo, n, a, pda, f, &comm, &flag,
                                    &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_matop_complex_herm_matrix_fun (f01ffc).\n%s\n",
           fail.message);
    exit_status = 1;
    goto END;
}

if (iuser[0] != n) {
    printf("\nNumber of function evaluations = %" NAG_IFMT "\n\n", iuser[0]);
}
/* nag_gen_complx_mat_print (x04dac).
 * Print complex general matrix (easy-to-use)
 */
nag_gen_complx_mat_print(order, matrix, Nag_NonUnitDiag, n, n, a, pda,
                           "Hermitian f(A)=cos(kA)", outfile, &fail);
if (fail.code != NE_NOERROR) {
    printf("%s\n", fail.message);
    exit_status = 2;
    goto END;
}
END:
NAG_FREE(a);

return exit_status;
}

static void NAG_CALL f(Integer *flag, Integer n, const double x[],
                      double fx[], Nag_Comm *comm)
{
    /* Scalars */
    Integer j;
    double k;

```

```

if (!comm->user[0]) {
    *flag = -1;
}
else {
    k = comm->user[0];

    for (j = 0; j < n; j++) {
        comm->iuser[0]++;
        fx[j] = cos(k * x[j]);
    }
}

```

## 10.2 Program Data

nag\_matop\_complex\_herm\_matrix\_fun (f01ffc) Example Program Data

|   |                |
|---|----------------|
| 4   | :Value of N    |
| Nag_Upper                                   | :Value of UPLO |
| (1.0, 0.0) (2.0, 1.0) (3.0, 2.0) (4.0, 3.0) |                |
| (1.0, 0.0) (2.0, 1.0) (3.0, 2.0)            |                |
| (1.0, 0.0) (2.0, 1.0)                       |                |
| (1.0, 0.0) :End of matrix A                 |                |

## 10.3 Program Results

nag\_matop\_complex\_herm\_matrix\_fun (f01ffc) Example Program Results

|                        |        |         |         |         |
|------------------------|--------|---------|---------|---------|
| Hermitian f(A)=cos(kA) |        |         |         |         |
|                        | 1      | 2       | 3       | 4       |
| 1                      | 0.0904 | -0.3377 | -0.1009 | -0.1092 |
|                        | 0.0000 | -0.0273 | -0.0594 | -0.1586 |
| 2                      |        | 0.4265  | -0.3139 | -0.1009 |
|                        |        | 0.0000  | -0.0273 | -0.0594 |
| 3                      |        |         | 0.4265  | -0.3377 |
|                        |        |         | 0.0000  | -0.0273 |
| 4                      |        |         |         | 0.0904  |
|                        |        |         |         | 0.0000  |

---