

NAG Library Function Document

nag_real_polygamma (s14aec)

1 Purpose

nag_real_polygamma (s14aec) returns the value of the k th derivative of the psi function $\psi(x)$ for real x and $k = 0, 1, \dots, 6$.

2 Specification

```
#include <nag.h>
#include <nags.h>
double nag_real_polygamma (double x, Integer k, NagError *fail)
```

3 Description

nag_real_polygamma (s14aec) evaluates an approximation to the k th derivative of the psi function $\psi(x)$ given by

$$\psi^{(k)}(x) = \frac{d^k}{dx^k} \psi(x) = \frac{d^k}{dx^k} \left(\frac{d}{dx} \log_e \Gamma(x) \right),$$

where x is real with $x \neq 0, -1, -2, \dots$ and $k = 0, 1, \dots, 6$. For negative noninteger values of x , the recurrence relationship

$$\psi^{(k)}(x+1) = \psi^{(k)}(x) + \frac{d^k}{dx^k} \left(\frac{1}{x} \right)$$

is used. The value of $\frac{(-1)^{k+1} \psi^{(k)}(x)}{k!}$ is obtained by a call to nag_polygamma_deriv (s14adc), which is based on the function PSIFN in Amos (1983).

Note that $\psi^{(k)}(x)$ is also known as the *polygamma* function. Specifically, $\psi^{(0)}(x)$ is often referred to as the *digamma* function and $\psi^{(1)}(x)$ as the *trigamma* function in the literature. Further details can be found in Abramowitz and Stegun (1972).

4 References

Abramowitz M and Stegun I A (1972) *Handbook of Mathematical Functions* (3rd Edition) Dover Publications

Amos D E (1983) Algorithm 610: A portable FORTRAN subroutine for derivatives of the psi function *ACM Trans. Math. Software* **9** 494–502

5 Arguments

- 1: **x** – double *Input*
On entry: the argument x of the function.
Constraint: x must not be ‘too close’ (see Section 6) to a non-positive integer.
- 2: **k** – Integer *Input*
On entry: the function $\psi^{(k)}(x)$ to be evaluated.
Constraint: $0 \leq k \leq 6$.

- 3: **fail** – NagError * *Input/Output*
 The NAG error argument (see Section 2.7 in How to Use the NAG Library and its Documentation).

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.
 See Section 2.3.1.2 in How to Use the NAG Library and its Documentation for further information.

NE_INT

On entry, $\mathbf{k} = \langle \text{value} \rangle$.
 Constraint: $\mathbf{k} \leq 6$.
 On entry, $\mathbf{k} = \langle \text{value} \rangle$.
 Constraint: $\mathbf{k} \geq 0$.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.
 See Section 2.7.6 in How to Use the NAG Library and its Documentation for further information.

NE_NO_LICENCE

Your licence key may have expired or may not have been installed correctly.
 See Section 2.7.5 in How to Use the NAG Library and its Documentation for further information.

NE_OVERFLOW_LIKELY

Evaluation abandoned due to likelihood of overflow.

NE_REAL

On entry, \mathbf{x} is ‘too close’ to a non-positive integer: $\mathbf{x} = \langle \text{value} \rangle$ and $\text{nint}(\mathbf{x}) = \langle \text{value} \rangle$.

NE_UNDERFLOW_LIKELY

Evaluation abandoned due to likelihood of underflow.

7 Accuracy

All constants in nag_polygamma_deriv (s14adc) are given to approximately 18 digits of precision. If t denotes the number of digits of precision in the floating-point arithmetic being used, then clearly the maximum number in the results obtained is limited by $p = \min(t, 18)$. Empirical tests by Amos (1983) have shown that the maximum relative error is a loss of approximately two decimal places of precision. Further tests with the function $-\psi^{(0)}(x)$ have shown somewhat improved accuracy, except at points near the positive zero of $\psi^{(0)}(x)$ at $x = 1.46\dots$, where only absolute accuracy can be obtained.

8 Parallelism and Performance

nag_real_polygamma (s14aec) is not threaded in any implementation.

9 Further Comments

None.

10 Example

This example evaluates $\psi^{(2)}(x)$ at $x = 2.5$, and prints the results.

10.1 Program Text

```

/* nag_real_polygamma (s14aec) Example Program.
 *
 * NAGPRODCODE Version.
 *
 * Copyright 2016 Numerical Algorithms Group.
 *
 * NAG C Library
 *
 * Mark 26, 2016.
 */

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nags.h>

int main(void)
{
    Integer exit_status = 0, k;
    NagError fail;
    double x, y;

    INIT_FAIL(fail);

    /* Skip heading in data file */
#ifdef _WIN32
    scanf_s("%*[\n]");
#else
    scanf("%*[\n]");
#endif
    printf("nag_real_polygamma (s14aec) Example Program Results\n\n");
    printf("  x      k      (d^k/dx^k)psi(x)\n");

#ifdef _WIN32
    while (scanf_s("%lf %" NAG_IFMT "%*[\n]", &x, &k) != EOF)
#else
    while (scanf("%lf %" NAG_IFMT "%*[\n]", &x, &k) != EOF)
#endif
    {
        /* nag_real_polygamma (s14aec).
         * Derivative of the psi function psi(x)
         */
        y = nag_real_polygamma(x, k, &fail);
        if (fail.code == NE_NOERROR)
            printf("%5.1f %5" NAG_IFMT " %13.4e\n", x, k, y);
        else {
            printf("Error from nag_real_polygamma (s14aec).\n%s\n", fail.message);
            exit_status = 1;
            goto END;
        }
    }
END:
    return exit_status;
}

```

10.2 Program Data

nag_real_polygamma (s14aec) Example Program Data

1.0	0
0.5	1
-3.6	2
8.0	3
2.9	4
-4.7	5
-5.4	6

: Values of x and k

10.3 Program Results

nag_real_polygamma (s14aec) Example Program Results

x	k	(d ^k /dx ^k)psi(x)
1.0	0	-5.7722e-01
0.5	1	4.9348e+00
-3.6	2	-2.2335e+01
8.0	3	4.6992e-03
2.9	4	-1.5897e-01
-4.7	5	1.6566e+05
-5.4	6	4.1378e+05
