

NAG Library Function Document

nag_lookback_fls_greeks (s30bbc)

1 Purpose

`nag_lookback_fls_greeks (s30bbc)` computes the price of a floating-strike lookback option together with its sensitivities (Greeks).

2 Specification

```
#include <nag.h>
#include <nags.h>
void nag_lookback_fls_greeks (Nag_OrderType order, Nag_CallPut option,
    Integer m, Integer n, const double sm[], double s, const double t[],
    double sigma, double r, double q, double p[], double delta[],
    double gamma[], double vega[], double theta[], double rho[],
    double crho[], double vanna[], double charm[], double speed[],
    double colour[], double zomma[], double vomma[], NagError *fail)
```

3 Description

`nag_lookback_fls_greeks (s30bbc)` computes the price of a floating-strike lookback call or put option, together with the Greeks or sensitivities, which are the partial derivatives of the option price with respect to certain of the other input parameters. A call option of this type confers the right to buy the underlying asset at the lowest price, S_{\min} , observed during the lifetime of the contract. A put option gives the holder the right to sell the underlying asset at the maximum price, S_{\max} , observed during the lifetime of the contract. Thus, at expiry, the payoff for a call option is $S - S_{\min}$, and for a put, $S_{\max} - S$.

For a given minimum value the price of a floating-strike lookback call with underlying asset price, S , and time to expiry, T , is

$$P_{\text{call}} = Se^{-qT}\Phi(a_1) - S_{\min}e^{-rT}\Phi(a_2) + Se^{-rT} \frac{\sigma^2}{2b} \left[\left(\frac{S}{S_{\min}} \right)^{-2b/\sigma^2} \Phi \left(-a_1 + \frac{2b}{\sigma} \sqrt{T} \right) - e^{bT} \Phi(-a_1) \right],$$

where $b = r - q \neq 0$. The volatility, σ , risk-free interest rate, r , and annualised dividend yield, q , are constants.

The corresponding put price is

$$P_{\text{put}} = S_{\max}e^{-rT}\Phi(-a_2) - Se^{-qT}\Phi(-a_1) + Se^{-rT} \frac{\sigma^2}{2b} \left[- \left(\frac{S}{S_{\max}} \right)^{-2b/\sigma^2} \Phi \left(a_1 - \frac{2b}{\sigma} \sqrt{T} \right) + e^{bT} \Phi(a_1) \right].$$

In the above, Φ denotes the cumulative Normal distribution function,

$$\Phi(x) = \int_{-\infty}^x \phi(y) dy$$

where ϕ denotes the standard Normal probability density function

$$\phi(y) = \frac{1}{\sqrt{2\pi}} \exp(-y^2/2)$$

and

$$a_1 = \frac{\ln(S/S_m) + (b + \sigma^2/2)T}{\sigma\sqrt{T}}$$

$$a_2 = a_1 - \sigma\sqrt{T}$$

where S_m is taken to be the minimum price attained by the underlying asset, S_{\min} , for a call and the maximum price, S_{\max} , for a put.

The option price $P_{ij} = P(X = X_i, T = T_j)$ is computed for each minimum or maximum observed price in a set $S_{\min}(i)$ or $S_{\max}(i)$, $i = 1, 2, \dots, m$, and for each expiry time in a set T_j , $j = 1, 2, \dots, n$.

4 References

Goldman B M, Sosin H B and Gatto M A (1979) Path dependent options: buy at the low, sell at the high *Journal of Finance* **34** 1111–1127

5 Arguments

1: **order** – Nag_OrderType *Input*

On entry: the **order** argument specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = Nag_RowMajor. See Section 2.3.1.3 in How to Use the NAG Library and its Documentation for a more detailed explanation of the use of this argument.

Constraint: **order** = Nag_RowMajor or Nag_ColMajor.

2: **option** – Nag_CallPut *Input*

On entry: determines whether the option is a call or a put.

option = Nag_Call

A call; the holder has a right to buy.

option = Nag_Put

A put; the holder has a right to sell.

Constraint: **option** = Nag_Call or Nag_Put.

3: **m** – Integer *Input*

On entry: the number of minimum or maximum prices to be used.

Constraint: **m** ≥ 1 .

4: **n** – Integer *Input*

On entry: the number of times to expiry to be used.

Constraint: **n** ≥ 1 .

5: **sm[m]** – const double *Input*

On entry: **sm[i - 1]** must contain $S_{\min}(i)$, the i th minimum observed price of the underlying asset when **option** = Nag_Call, or $S_{\max}(i)$, the maximum observed price when **option** = Nag_Put, for $i = 1, 2, \dots, m$.

Constraints:

sm[i - 1] $\geq z$ and **sm[i - 1] $\leq 1/z$** , where $z = \text{nag_real_safe_small_number}$, the safe range parameter, for $i = 1, 2, \dots, m$;

if **option** = Nag_Call, **sm[i - 1] $\leq S$** , for $i = 1, 2, \dots, m$;

if **option** = Nag_Put, **sm[i - 1] $\geq S$** , for $i = 1, 2, \dots, m$.

6:	s – double	<i>Input</i>
<i>On entry:</i> S , the price of the underlying asset.		
<i>Constraint:</i> $s \geq z$ and $s \leq 1.0/z$, where $z = \text{nag_real_safe_small_number}$, the safe range parameter.		
7:	t[n] – const double	<i>Input</i>
<i>On entry:</i> $t[i - 1]$ must contain T_i , the i th time, in years, to expiry, for $i = 1, 2, \dots, n$.		
<i>Constraint:</i> $t[i - 1] \geq z$, where $z = \text{nag_real_safe_small_number}$, the safe range parameter, for $i = 1, 2, \dots, n$.		
8:	sigma – double	<i>Input</i>
<i>On entry:</i> σ , the volatility of the underlying asset. Note that a rate of 15% should be entered as 0.15.		
<i>Constraint:</i> sigma > 0.0.		
9:	r – double	<i>Input</i>
<i>On entry:</i> the annual risk-free interest rate, r , continuously compounded. Note that a rate of 5% should be entered as 0.05.		
<i>Constraint:</i> $r \geq 0.0$ and $\text{abs}(r - q) > 10 \times \text{eps} \times \max(\text{abs}(r), 1)$, where $\text{eps} = \text{nag_machine_precision}$, the machine precision .		
10:	q – double	<i>Input</i>
<i>On entry:</i> the annual continuous yield rate. Note that a rate of 8% should be entered as 0.08.		
<i>Constraint:</i> $q \geq 0.0$ and $\text{abs}(r - q) > 10 \times \text{eps} \times \max(\text{abs}(r), 1)$, where $\text{eps} = \text{nag_machine_precision}$, the machine precision .		
11:	p[m × n] – double	<i>Output</i>
Note: where $P(i, j)$ appears in this document, it refers to the array element		
$p[(j - 1) \times m + i - 1]$ when order = Nag_ColMajor; $p[(i - 1) \times n + j - 1]$ when order = Nag_RowMajor.		
<i>On exit:</i> $P(i, j)$ contains P_{ij} , the option price evaluated for the minimum or maximum observed price $S_{\min}(i)$ or $S_{\max}(i)$ at expiry t_j for $i = 1, 2, \dots, m$ and $j = 1, 2, \dots, n$.		
12:	delta[m × n] – double	<i>Output</i>
Note: the (i, j) th element of the matrix is stored in		
$\text{delta}[(j - 1) \times m + i - 1]$ when order = Nag_ColMajor; $\text{delta}[(i - 1) \times n + j - 1]$ when order = Nag_RowMajor.		
<i>On exit:</i> the $m \times n$ array delta contains the sensitivity, $\frac{\partial P}{\partial S}$, of the option price to change in the price of the underlying asset.		
13:	gamma[m × n] – double	<i>Output</i>
Note: the (i, j) th element of the matrix is stored in		
$\text{gamma}[(j - 1) \times m + i - 1]$ when order = Nag_ColMajor; $\text{gamma}[(i - 1) \times n + j - 1]$ when order = Nag_RowMajor.		
<i>On exit:</i> the $m \times n$ array gamma contains the sensitivity, $\frac{\partial^2 P}{\partial S^2}$, of delta to change in the price of the underlying asset.		

14: **vega**[$\mathbf{m} \times \mathbf{n}$] – double Output

Note: where **VEGA**(i, j) appears in this document, it refers to the array element

vega $[(j - 1) \times \mathbf{m} + i - 1]$ when **order** = Nag_ColMajor;
vega $[(i - 1) \times \mathbf{n} + j - 1]$ when **order** = Nag_RowMajor.

On exit: **VEGA**(i, j), contains the first-order Greek measuring the sensitivity of the option price P_{ij} to change in the volatility of the underlying asset, i.e., $\frac{\partial P_{ij}}{\partial \sigma}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$.

15: **theta**[$\mathbf{m} \times \mathbf{n}$] – double Output

Note: where **THETA**(i, j) appears in this document, it refers to the array element

theta $[(j - 1) \times \mathbf{m} + i - 1]$ when **order** = Nag_ColMajor;
theta $[(i - 1) \times \mathbf{n} + j - 1]$ when **order** = Nag_RowMajor.

On exit: **THETA**(i, j), contains the first-order Greek measuring the sensitivity of the option price P_{ij} to change in time, i.e., $-\frac{\partial P_{ij}}{\partial T}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$, where $b = r - q$.

16: **rho**[$\mathbf{m} \times \mathbf{n}$] – double Output

Note: where **RHO**(i, j) appears in this document, it refers to the array element

rho $[(j - 1) \times \mathbf{m} + i - 1]$ when **order** = Nag_ColMajor;
rho $[(i - 1) \times \mathbf{n} + j - 1]$ when **order** = Nag_RowMajor.

On exit: **RHO**(i, j), contains the first-order Greek measuring the sensitivity of the option price P_{ij} to change in the annual risk-free interest rate, i.e., $-\frac{\partial P_{ij}}{\partial r}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$.

17: **crho**[$\mathbf{m} \times \mathbf{n}$] – double Output

Note: where **CRHO**(i, j) appears in this document, it refers to the array element

crho $[(j - 1) \times \mathbf{m} + i - 1]$ when **order** = Nag_ColMajor;
crho $[(i - 1) \times \mathbf{n} + j - 1]$ when **order** = Nag_RowMajor.

On exit: **CRHO**(i, j), contains the first-order Greek measuring the sensitivity of the option price P_{ij} to change in the annual cost of carry rate, i.e., $-\frac{\partial P_{ij}}{\partial b}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$, where $b = r - q$.

18: **vanna**[$\mathbf{m} \times \mathbf{n}$] – double Output

Note: where **VANNA**(i, j) appears in this document, it refers to the array element

vanna $[(j - 1) \times \mathbf{m} + i - 1]$ when **order** = Nag_ColMajor;
vanna $[(i - 1) \times \mathbf{n} + j - 1]$ when **order** = Nag_RowMajor.

On exit: **VANNA**(i, j), contains the second-order Greek measuring the sensitivity of the first-order Greek Δ_{ij} to change in the volatility of the asset price, i.e., $-\frac{\partial \Delta_{ij}}{\partial T} = -\frac{\partial^2 P_{ij}}{\partial S \partial \sigma}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$.

19: **charm**[$\mathbf{m} \times \mathbf{n}$] – double Output

Note: where **CHARM**(i, j) appears in this document, it refers to the array element

charm $[(j - 1) \times \mathbf{m} + i - 1]$ when **order** = Nag_ColMajor;
charm $[(i - 1) \times \mathbf{n} + j - 1]$ when **order** = Nag_RowMajor.

On exit: **CHARM**(i, j), contains the second-order Greek measuring the sensitivity of the first-order Greek Δ_{ij} to change in the time, i.e., $-\frac{\partial \Delta_{ij}}{\partial T} = -\frac{\partial^2 P_{ij}}{\partial S \partial T}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$.

20:	speed [$\mathbf{m} \times \mathbf{n}$] – double	<i>Output</i>
Note: where SPEED (i, j) appears in this document, it refers to the array element		
speed [($j - 1$) $\times \mathbf{m} + i - 1$] when order = Nag_ColMajor; speed [($i - 1$) $\times \mathbf{n} + j - 1$] when order = Nag_RowMajor.		
<i>On exit:</i> SPEED (i, j), contains the third-order Greek measuring the sensitivity of the second-order Greek Γ_{ij} to change in the price of the underlying asset, i.e., $-\frac{\partial \Gamma_{ij}}{\partial S} = -\frac{\partial^3 P_{ij}}{\partial S^3}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$.		
21:	colour [$\mathbf{m} \times \mathbf{n}$] – double	<i>Output</i>
Note: where COLOUR (i, j) appears in this document, it refers to the array element		
colour [($j - 1$) $\times \mathbf{m} + i - 1$] when order = Nag_ColMajor; colour [($i - 1$) $\times \mathbf{n} + j - 1$] when order = Nag_RowMajor.		
<i>On exit:</i> COLOUR (i, j), contains the third-order Greek measuring the sensitivity of the second-order Greek Γ_{ij} to change in the time, i.e., $-\frac{\partial \Gamma_{ij}}{\partial T} = -\frac{\partial^3 P_{ij}}{\partial S \partial T}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$.		
22:	zomma [$\mathbf{m} \times \mathbf{n}$] – double	<i>Output</i>
Note: where ZOMMA (i, j) appears in this document, it refers to the array element		
zomma [($j - 1$) $\times \mathbf{m} + i - 1$] when order = Nag_ColMajor; zomma [($i - 1$) $\times \mathbf{n} + j - 1$] when order = Nag_RowMajor.		
<i>On exit:</i> ZOMMA (i, j), contains the third-order Greek measuring the sensitivity of the second-order Greek Γ_{ij} to change in the volatility of the underlying asset, i.e., $-\frac{\partial \Gamma_{ij}}{\partial \sigma} = -\frac{\partial^3 P_{ij}}{\partial S^2 \partial \sigma}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$.		
23:	vomma [$\mathbf{m} \times \mathbf{n}$] – double	<i>Output</i>
Note: where VOMMA (i, j) appears in this document, it refers to the array element		
vomma [($j - 1$) $\times \mathbf{m} + i - 1$] when order = Nag_ColMajor; vomma [($i - 1$) $\times \mathbf{n} + j - 1$] when order = Nag_RowMajor.		
<i>On exit:</i> VOMMA (i, j), contains the second-order Greek measuring the sensitivity of the first-order Greek Δ_{ij} to change in the volatility of the underlying asset, i.e., $-\frac{\partial \Delta_{ij}}{\partial \sigma} = -\frac{\partial^2 P_{ij}}{\partial \sigma^2}$, for $i = 1, 2, \dots, \mathbf{m}$ and $j = 1, 2, \dots, \mathbf{n}$.		
24:	fail – NagError *	<i>Input/Output</i>
The NAG error argument (see Section 2.7 in How to Use the NAG Library and its Documentation).		

6 Error Indicators and Warnings

NE_ALLOC_FAIL

Dynamic memory allocation failed.

See Section 2.3.1.2 in How to Use the NAG Library and its Documentation for further information.

NE_BAD_PARAM

On entry, argument $\langle value \rangle$ had an illegal value.

NE_INT

On entry, $\mathbf{m} = \langle value \rangle$.

Constraint: $\mathbf{m} \geq 1$.

On entry, $\mathbf{n} = \langle \text{value} \rangle$.
 Constraint: $\mathbf{n} \geq 1$.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please contact NAG for assistance.

An unexpected error has been triggered by this function. Please contact NAG.

See Section 2.7.6 in How to Use the NAG Library and its Documentation for further information.

NE_NO_LICENCE

Your licence key may have expired or may not have been installed correctly.

See Section 2.7.5 in How to Use the NAG Library and its Documentation for further information.

NE_REAL

On entry, $\mathbf{q} = \langle \text{value} \rangle$.
 Constraint: $\mathbf{q} \geq 0.0$.

On entry, $\mathbf{r} = \langle \text{value} \rangle$.
 Constraint: $\mathbf{r} \geq 0.0$.

On entry, $\mathbf{s} = \langle \text{value} \rangle$.
 Constraint: $\mathbf{s} \geq \langle \text{value} \rangle$ and $\mathbf{s} \leq \langle \text{value} \rangle$.

On entry, $\mathbf{sigma} = \langle \text{value} \rangle$.
 Constraint: $\mathbf{sigma} > 0.0$.

NE_REAL_2

On entry, $\mathbf{r} = \langle \text{value} \rangle$ and $\mathbf{q} = \langle \text{value} \rangle$.
 Constraint: $|\mathbf{r} - \mathbf{q}| > 10 \times \text{eps} \times \max(|\mathbf{r}|, 1)$, where eps is the **machine precision**.

NE_REAL_ARRAY

On entry, $\mathbf{sm}[\langle \text{value} \rangle] = \langle \text{value} \rangle$.
 Constraint: $\langle \text{value} \rangle \leq \mathbf{sm}[i] \leq \langle \text{value} \rangle$ for all i .

On entry, $\mathbf{t}[\langle \text{value} \rangle] = \langle \text{value} \rangle$.
 Constraint: $\mathbf{t}[i] \geq \langle \text{value} \rangle$ for all i .

On entry with a call option, $\mathbf{sm}[\langle \text{value} \rangle] = \langle \text{value} \rangle$.
 Constraint: for call options, $\mathbf{sm}[i] \leq \langle \text{value} \rangle$ for all i .

On entry with a put option, $\mathbf{sm}[\langle \text{value} \rangle] = \langle \text{value} \rangle$.
 Constraint: for put options, $\mathbf{sm}[i] \geq \langle \text{value} \rangle$ for all i .

7 Accuracy

The accuracy of the output is dependent on the accuracy of the cumulative Normal distribution function, Φ . This is evaluated using a rational Chebyshev expansion, chosen so that the maximum relative error in the expansion is of the order of the **machine precision** (see `nag_cumul_normal` (`s15abc`) and `nag_erfc` (`s15adc`)). An accuracy close to **machine precision** can generally be expected.

8 Parallelism and Performance

`nag_lookback_fls_greeks` (`s30bbc`) is threaded by NAG for parallel execution in multithreaded implementations of the NAG Library.

Please consult the x06 Chapter Introduction for information on how to control and interrogate the OpenMP environment used within this function. Please also consult the Users' Note for your implementation for any additional implementation-specific information.

9 Further Comments

None.

10 Example

This example computes the price of a floating-strike lookback put with a time to expiry of 6 months and a stock price of 87. The maximum price observed so far is 100. The risk-free interest rate is 6% per year and the volatility is 30% per year with an annual dividend return of 4%.

10.1 Program Text

```
/* nag_lookback_fls_greeks (s30bbc) Example Program.
*
* NAGPRODCODE Version.
*
* Copyright 2016 Numerical Algorithms Group.
*
* Mark 26, 2016.
*/
#include <stdio.h>
#include <math.h>
#include <string.h>
#include <nag.h>
#include <nag_stlib.h>
#include <nags.h>

int main(void)
{
    /* Integer scalar and array declarations */
    Integer exit_status = 0;
    Integer i, j, m, n;
    NagError fail;
    Nag_CallPut putnum;
    /* Double scalar and array declarations */
    double q, r, s, sigma;
    double *charm = 0, *colour = 0, *crho = 0, *delta = 0, *gamma = 0;
    double *p = 0, *rho = 0, *sm = 0, *speed = 0, *t = 0, *theta = 0;
    double *vanna = 0, *vega = 0, *vomma = 0, *zomma = 0;
    /* Character scalar and array declarations */
    char put[8 + 1];
    Nag_OrderType order;

    INIT_FAIL(fail);

    printf("nag_lookback_fls_greeks (s30bbc) Example Program Results\n");
    printf("Floating-Strike Lookback\n\n");
    /* Skip heading in data file */
#ifdef _WIN32
    scanf_s("%*[^\n] ");
#else
    scanf("%*[^\n] ");
#endif
    /* Read put */
#ifdef _WIN32
    scanf_s("%8s%*[^\n] ", put, (unsigned)_countof(put));
#else
    scanf("%8s%*[^\n] ", put);
#endif
    /*
     * nag_enum_name_to_value (x04nac).
     * Converts NAG enum member name to value
     */
    putnum = (Nag_CallPut) nag_enum_name_to_value(put);
    /* Read sigma, r, jvol */
#ifdef _WIN32
    scanf_s("%lf%lf%lf%lf%*[^\n] ", &s, &sigma, &r, &q);
#else

```

```

    scanf("%lf%lf%lf%lf%*[^\n] ", &s, &sigma, &r, &q);
#endif
/* Read m, n */
#ifndef _WIN32
scanf_s("%" NAG_IFMT "%" NAG_IFMT "%*[^\n] ", &m, &n);
#else
scanf("%" NAG_IFMT "%" NAG_IFMT "%*[^\n] ", &m, &n);
#endif
#ifndef NAG_COLUMN_MAJOR
#define CHARM(I, J) charm[(J-1)*m + I-1]
#define COLOUR(I, J) colour[(J-1)*m + I-1]
#define CRHO(I, J) crho[(J-1)*m + I-1]
#define DELTA(I, J) delta[(J-1)*m + I-1]
#define GAMMA(I, J) gamma[(J-1)*m + I-1]
#define P(I, J) p[(J-1)*m + I-1]
#define RHO(I, J) rho[(J-1)*m + I-1]
#define SPEED(I, J) speed[(J-1)*m + I-1]
#define THETA(I, J) theta[(J-1)*m + I-1]
#define VANNA(I, J) vanna[(J-1)*m + I-1]
#define VEGA(I, J) vega[(J-1)*m + I-1]
#define VOMMA(I, J) vomma[(J-1)*m + I-1]
#define ZOMMA(I, J) zomma[(J-1)*m + I-1]
order = Nag_ColMajor;
#else
#define CHARM(I, J) charm[(I-1)*n + J-1]
#define COLOUR(I, J) colour[(I-1)*n + J-1]
#define CRHO(I, J) crho[(I-1)*n + J-1]
#define DELTA(I, J) delta[(I-1)*n + J-1]
#define GAMMA(I, J) gamma[(I-1)*n + J-1]
#define P(I, J) p[(I-1)*n + J-1]
#define RHO(I, J) rho[(I-1)*n + J-1]
#define SPEED(I, J) speed[(I-1)*n + J-1]
#define THETA(I, J) theta[(I-1)*n + J-1]
#define VANNA(I, J) vanna[(I-1)*n + J-1]
#define VEGA(I, J) vega[(I-1)*n + J-1]
#define VOMMA(I, J) vomma[(I-1)*n + J-1]
#define ZOMMA(I, J) zomma[(I-1)*n + J-1]
order = Nag_RowMajor;
#endif
if (!(charm = NAG_ALLOC(m * n, double)) ||
!(colour = NAG_ALLOC(m * n, double)) ||
!(crho = NAG_ALLOC(m * n, double)) ||
!(delta = NAG_ALLOC(m * n, double)) ||
!(gamma = NAG_ALLOC(m * n, double)) ||
!(p = NAG_ALLOC(m * n, double)) ||
!(rho = NAG_ALLOC(m * n, double)) ||
!(sm = NAG_ALLOC(m, double)) ||
!(speed = NAG_ALLOC(m * n, double)) ||
!(t = NAG_ALLOC(n, double)) ||
!(theta = NAG_ALLOC(m * n, double)) ||
!(vanna = NAG_ALLOC(m * n, double)) ||
!(vega = NAG_ALLOC(m * n, double)) ||
!(vomma = NAG_ALLOC(m * n, double)) ||
!(zomma = NAG_ALLOC(m * n, double)))
{
    printf("Allocation failure\n");
    exit_status = -1;
    goto END;
}
/* Read array of min/max prices, SM */
for (i = 0; i < m; i++)
#ifndef _WIN32
scanf_s("%lf ", &sm[i]);
#else
scanf("%lf ", &sm[i]);
#endif
#ifndef _WIN32
scanf_s("%*[^\n] ");
#else
scanf("%*[^\n] ");
#endif

```

```

/* Read array of times to expiry */
for (i = 0; i < n; i++)
#endif _WIN32
    scanf_s("%lf ", &t[i]);
#else
    scanf("%lf ", &t[i]);
#endif
#endif _WIN32
    scanf_s("%*[^\n] ");
#else
    scanf("%*[^\n] ");
#endif
*/
/* nag_lookback_fls_greeks (s30bbc)
 * Floating-strike lookback option pricing formula with Greeks
 */
nag_lookback_fls_greeks(order, putnum, m, n, sm, s, t, sigma, r, q, p,
                         delta, gamma, vega, theta, rho, crho, vanna, charm,
                         speed, colour, zomma, vomma, &fail);
if (fail.code != NE_NOERROR) {
    printf("Error from nag_lookback_fls_greeks (s30bbc).\n%s\n",
           fail.message);
    exit_status = 1;
    goto END;
}
if (putnum == Nag_Call)
    printf("European Call :\n\n");
else if (putnum == Nag_Put)
    printf("European Put :\n\n");
printf("%s%8.4f\n", "Spot      = ", s);
printf("%s%8.4f\n", "Volatility = ", sigma);
printf("%s%8.4f\n", "Rate      = ", r);
printf("%s%8.4f\n", "Dividend   = ", q);
printf("\n");
for (j = 1; j <= n; j++) {
    printf("\n");
    printf(" Time to Expiry : %8.4f\n", t[j - 1]);
    printf(" Strike      Price      Delta      Gamma      Vega      "
           "Theta      Rho      CRho\n");
    for (i = 1; i <= m; i++)
        printf("%9.4f %9.4f %9.4f %9.4f %9.4f %9.4f %9.4f\n",
               sm[i - 1], P(i, j), DELTA(i, j), GAMMA(i, j), VEGA(i, j),
               THETA(i, j), RHO(i, j), CRHO(i, j));
    printf(" Vanna      Charm      Speed      "
           "Colour      Zomma      Vomma\n");
    for (i = 1; i <= m; i++)
        printf("%29.4f %9.4f %9.4f %9.4f %9.4f %9.4f\n",
               VANNA(i, j),
               CHARM(i, j), SPEED(i, j), COLOUR(i, j), ZOMMA(i, j),
               VOMMA(i, j));
}
END:
NAG_FREE(charm);
NAG_FREE(colour);
NAG_FREE(crho);
NAG_FREE(delta);
NAG_FREE(gamma);
NAG_FREE(p);
NAG_FREE(rho);
NAG_FREE(sm);
NAG_FREE(speed);
NAG_FREE(t);
NAG_FREE(theta);
NAG_FREE(vanna);
NAG_FREE(vega);
NAG_FREE(vomma);
NAG_FREE(zomma);

return exit_status;
}

```

10.2 Program Data

```
nag_lookback_fls_greeks (s30bbc) Example Program Data
Nag_Put          : Nag_Call or Nag_Put
87.0 0.3 0.06 0.04 : s, sigma, r, q
1 1              : m, n
100.0            : SM(I), I = 1,2,...m
0.5              : T(I), I = 1,2,...n
```

10.3 Program Results

```
nag_lookback_fls_greeks (s30bbc) Example Program Results
Floating-Strike Lookback
```

European Put :

```
Spot      = 87.0000
Volatility = 0.3000
Rate      = 0.0600
Dividend   = 0.0400
```

Time to Expiry :	0.5000							
Strike	Price	Delta	Gamma	Vega	Theta	Rho	CRho	
100.0000	18.3530	-0.3560	0.0391	45.5353	-11.6139	-32.8139	-23.6374	
		Vanna	Charm	Speed	Colour	Zomma	Vomma	
		1.9141	-0.6199	0.0007	0.0221	-0.0648	76.1292	
